


[My NCBI](#)
[\[Sign In\]](#)[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[Books](#)Search for [Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)Display Show All: 1 Current Only: 1 Genes Genomes: 1 SNP GeneView: 0 **1: Chrna5 cholinergic receptor, nicotinic, alpha polypeptide 5** [*Rattus norvegicus*]GeneID: 25102 Primary source: [RGD:2347](#)

updated 03-Mar-2006

Summary

**Official Symbol:** Chrna5 **and Name:** cholinergic receptor, nicotinic, alpha polypeptide 5 **provided by** [Rat Genome Database](#)**See related:** [RATMAP:39091](#)**Gene type:** protein coding**Gene name:** Chrna5**Gene description:** cholinergic receptor, nicotinic, alpha polypeptide 5**RefSeq status:** Provisional**Organism:** *Rattus norvegicus***Lineage:** *Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi; Muroidea; Muridae; Murinae; Rattus***Summary:** neuronal receptor and ion channel activated by acetylcholine; mediates release of catecholamines into bloodstream [RGD][Entrez](#)
[Table](#)[Summary](#)
[Genomic re](#)
[Genomic α](#)
[Bibliograph](#)
[General ge](#)
[General prc](#)
[Reference :](#)
[Related Se](#)
[Additional I](#)[Conserved](#)
[Genome](#)
[GEO Profile](#)
[HomoloGer](#)
[Map Viewe](#)
[Nucleotide](#)
[Full text in](#)
[Protein](#)
[PubMed](#)
[Taxonomy](#)
[UniSTS](#)
[Evidence V](#)
[KEGG](#)
[ModelMake](#)
[RATMAP](#)
[RGD](#)
[UniGene](#)
[LinkOut](#)[Entrez](#)
[F](#)
[Sut](#)


Genomic regions, transcripts, and products

[RefSeq below](#)**NC_005107.2**

Genomic context

[See Chrna5 in MapViewer](#)

chromosome: 8; Location: 8q24



Bibliography

Gene References into Function (GeneRIF): [Submit](#)[PubMed links](#)**GeneRIFs:**

1. Increased expression of the alpha 5 nAChR subunit following spinal nerve

[PubMed](#)

ligation contributes to spinal cAMP response element-binding protein phosphorylation and the maintenance of mechanical allodynia.

2. Similar to other nAChR subunits, there is transient expression of alpha5 mRNA during cortical and hippocampal development. [PubMed](#)

3. Increased expression of the alpha 5 nicotinic receptor subunit may contribute to the mechanical hypersensitivity observed following spinal nerve ligation. [PubMed](#)

4. Immunocytochemistry revealed most chromaffin cells positive for alpha5 proteins. [PubMed](#)

General gene information

Markers

Chrna5(e-PCR) (Links: [UniSTS:261414](#))

Alternate names: J05231; RGD:2347

GeneOntology

Provided by [RGD](#)

Function

[GABA-A receptor activity](#)

[acetylcholine receptor activity](#)

[extracellular ligand-gated ion channel activity](#)

[nicotinic acetylcholine-activated cation-selective channel activity](#)

Process

[ion transport](#)

[signal transduction](#)

[synaptic transmission](#)

[transport](#)

Component

[integral to membrane](#)

[membrane](#)

[nicotinic acetylcholine-gated receptor-channel complex](#)

Evidence

IEA

IEA

IEA

IEA

IEA

IEA

IEA

IEA

IEA

IEA

IEA

Homology:

Human, Mouse

[Map Viewer](#)

General protein information

Names: cholinergic receptor, nicotinic, alpha polypeptide 5
acetylcholine receptor alpha 5; Acetylcholine receptor alpha 5

NCBI Reference Sequences (RefSeq)

mRNA Sequence [NM_017078](#)

Source Sequence [J05231](#)

Product [NP_058774](#) cholinergic receptor, nicotinic, alpha polypeptide 5

Conserved Domains (2) summary

[pfam02932: Neur_chan_memb; Neurotransmitter-gated ion-channel transmembrane region](#)

Location: 242 - 431 Blast Score: 422

[pfam02931: Neur_chan_LBD; Neurotransmitter-gated ion-channel ligand binding domain](#)

Location: 32 - 235 Blast Score: 592

Related Sequences

Nucleotide	Protein	Strain
mRNA AY574255	AAS90351	Sprague-Dawley
mRNA J05231	AAA74475	

Protein Accession LinksP20420 [GenPept](#) [UniProt](#)

Additional LinksUniGene [Rn.40125](#)Display  Show  Send to 

[Restrictions on Use](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 28 2006 06:29:55

NCBI Nucleotide

PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Books

Search for

Limits Preview/Index History Clipboard Details

Display ☒ Show ☒ Send to

Range: from to ☐ Reverse complemented strand Features: ☐ SNP ☒ CDD ☐

☐ 1: J05231. Reports Rat neuronal nico...[gi:950093]

Links

Comment Features Sequence

LOCUS RATNACHRR 2895 bp mRNA linear ROD 21-AUG-1995
DEFINITION Rat neuronal nicotinic acetylcholine receptor-related protein mRNA, complete cds.
ACCESSION J05231
VERSION J05231.1 GI:950093
KEYWORDS .
SOURCE Rattus norvegicus (Norway rat)
ORGANISM Rattus norvegicus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Sciurognathi; Muroidea; Muridae; Murinae; Rattus.
REFERENCE 1 (bases 1 to 2895)
AUTHORS Boulter, J., O'Shea-Greenfield, A., Duvoisin, R.M., Connolly, J.G., Wada, E., Jensen, A., Gardner, P.D., Ballivet, M., Deneris, E.S., McKinnon, D., Heinemann, S. and Patrick, J.
TITLE Alpha 3, alpha 5, and beta 4: three members of the rat neuronal nicotinic acetylcholine receptor-related gene family form a gene cluster
JOURNAL J. Biol. Chem. 265 (8), 4472-4482 (1990)
PUBMED 1689727
COMMENT On Aug 21, 1995 this sequence version replaced gi:205617.
Original source text: rat.
FEATURES
source Location/Qualifiers
1..2895
/organism="Rattus norvegicus"
/mol_type="mRNA"
/db_xref="taxon:10116"
/tissue_type="hypothalamus"
gene 1..2895
/gene="nAChR-related"
CDS 102..1460
/gene="nAChR-related"
/codon_start=1
/product="nicotinic acetylcholine receptor-related protein alpha 5"
/protein_id="AAA74475.1"
/db_xref="GI:205618"
/translation="MVQLLAGRWRPTGARRGTRGGLPELSSAAKHEDSLFRDLFEDYE
RWVRPVEHLSDKIKIKFGLAISQLVDVDEKNQLMTTNVWLKQEWIDVKLRWNPDDYGG
IKIIRVPSDSLWIPDIVLFDNADGRFEGASTKTVVRYNGTVTWTQPANYKSSCTIDVT
FFPFDLQNCMSMKFGSWTYDGSQVDIILEDQDVRTDFFDNGEWEIMSAMGSKGNRTDS
CCWYPYITYSFVIKRLPLFYTLFLIIPCIGLSFLT VVVFYLP SNEGEKISLCTSVLVS
LTVFLLVIEEII PSSSKVIPLIGEYLVFTMIFVTL SIMVTVFAINIHRSSSTHNAME

PWVRKIFLHKLPKLLCMRSHADRYFTQREEAESGAGPKSRNTLEALDCIRYITRHVV
KENDVREVVEDWKFIAQVLDRLMFLWTFLLVSIIGTLGLFVPVIYKWANIIVPVHIGNT
IK"
sig_peptide 102..185
/gene="nAChR-related"
mat_peptide 186..1457
/gene="nAChR-related"
/product="nicotinic acetylcholine receptor-related protein
alpha 5"

ORIGIN

```
1  cggttgctcgg  cccctcgggg  tccggagtta  tccgcgaggc  gccgtcgcgg  gcgggcgatg
61  gcggtgcggg  ggtcgcggcg  gcgcgcgctg  cgctgctctt  gatggtgcag  ctgctggcag
121  ggcgctggcg  gccgaccggg  gcgcggcggg  gcacgcgggg  agggttgcct  gaactatcct
181  ctgctgccaa  acatgaagac  agcttgttta  gggattttatt  tgaagactac  gaaaggtggg
241  ttcgccctgt  ggaacacctg  agcgacaaga  taaaaatcaa  gtttggcctt  gcgatatctc
301  agttagtgga  tgtggatgag  aaaaaccagc  tgatgacgac  gaacgtctgg  ttgaagcagg
361  aatggataga  tgtgaaattg  agatggaatc  ctgacgatta  tgggtgggata  aagattatac
421  gtgttccttc  ggactccctg  tggatcccag  acatcgtttt  gttcgataat  gcagatggac
481  gttttgaagg  ggccagcacg  aaaaacagtg  tcaggtacaa  cggcactgtc  acgtggacgc
541  aaccagcaaa  ctacaaaagt  tcttgacca  tcgacgttac  ctttttcccg  tttgatctcc
601  aaaattgttc  catgaaattc  ggctcgtgga  catacgatgg  atcccagggt  gatataatcc
661  tagagacca  agatgtcgac  agaacagact  ttttcgacaa  tggagagtgg  gaaatcatga
721  gcgcgagtgg  gagcaagggg  aaccggacgg  acagctgctg  ctggtacccc  tacatcacgt
781  actcctttgt  gattaagcgg  ctgcctctct  tctatacctt  gtttcttatt  atcccctgca
841  ttgggctctc  atttctgact  gtggttgctc  tctatctccc  ttcaaacgag  ggtgaaaaga
901  ttagcctctg  cacctcagtg  ctgctctctc  tgactgtctt  ccttttggtg  atcgaagaga
961  tcataccatc  atcttccaaa  gtcatacccc  tgattgggga  gtacttgggt  ttcaccatga
1021  ttttcgtgac  cctatccatt  atggtgactg  tctttgccat  caacatccac  caccgctctt
1081  cctccacaca  caacgctatg  gcgccttggg  ttcgtaagat  atttctccac  aagcttccca
1141  agctgctctg  catgagaagt  catgcggata  ggtacttcac  tcagagagaa  gaagccgaga
1201  gtggggctgg  acctaaatct  cggaacactt  tggaagccgc  actcgattgc  attcgctaca
1261  tcacgaggca  cgtcgtgaaa  gagaacgacg  tccgcgaggt  tgttgaagat  tggaaattca
1321  tagcccaagt  ccttgatcgg  atgtttttgt  ggacgtttct  tctggtgtca  atcattggga
1381  ctttagggct  ttttgttcct  gttatttata  aatgggccaa  tataatagtc  ccagttcaca
1441  ttggaacac  aattaagtga  aaccaagaaa  ttaccctgtg  gatttagtga  gcagtcatgc
1501  agctcttagg  acatgtatgc  tgttatggaa  atgtgaaggt  agttacaatt  tgacatggct
1561  ataacagatt  agcaatttct  aacattggct  taatgttgtc  cattagaact  gcagtaataa
1621  cctcaaatag  caacaacaca  ttgtctgcct  gcactagtga  aggcctagca  tctgcactct
1681  ggcaaacctc  accaatttgc  aaccaatgct  gaaggccatc  cttggagtgc  tggaaaactc
1741  aactgtatct  gaagactatt  taaaactccc  cccaaattta  gtaggaacat  atatatgtgt
1801  ggttttgaat  tttcagaatg  ggtctttggg  tcttgttaaa  ttgtctgggc  tagcacaaaa
1861  cctcctgagt  agctgggacc  atgggtgtgc  tccactttgc  cctgttctgt  attcacagat
1921  ataaaataca  tcattatctt  ataggaggta  ggcccattac  ttggtttaat  aataacttaa
1981  tgtcagttag  gtttaattat  aaccttatgt  cagctaattg  tctattgctg  tgaagagaca
2041  tcatgaccat  caactcttat  aaaagaaaac  atttcatcag  tgctggctta  cagtttttga
2101  ggtttagcca  attatcacag  tgaaagcatg  atagcatcca  ggtagacata  atgctggatc
2161  caggagtctt  ctacatctgg  atcagcaggc  agcaggaaga  gagagagagc  cactggacct
2221  ggcttgagca  tctgaaacct  caaagccac  ctccagtgc  acacttcccc  caacaaggcc
2281  acacctccta  atagtgccac  ttgctggtga  tcaagcattc  agtctatggg  tctacgagag
2341  ccattcctat  tcaaaccaca  cttaatagga  tgctattctt  tactgacatt  ttttaataagc
2401  gacaaatggt  aactagaaac  atcgtaggcc  cactttactc  tttatatggt  aatatggatt
2461  ggcttttata  ttaactagtt  ttacagccta  tctgaaaaca  tgtaacaggc  aactcctgca
2521  gacacattct  ttgtaatgac  tttataatcc  tgcaagtggc  tgttctggta  atgacttcag
2581  tctcctcgtc  cacactctcc  ggttagtaga  gccatttatg  tacatcgctg  atccctgatt
2641  tcagagcaac  tgtgcagttg  cacaggttcc  cacctcaaaa  tgggatgcca  tgactctgtc
2701  ttgataattc  tgtgaaaaaa  ccattctgag  ctggatacgg  tgccctcatac  ctgtcatgtc
2761  tacttttcagg  aggcagaggc  aggggaattg  ctgtgagttg  ttggtcagcc  tgggttacat
2821  atgagacctt  gtctcagaaa  accaaacaaa  aacttcccct  gtgagttgat  ataagcacac
2881  tgtcatatcc  gaatt
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

Mar 14 2006 11:51:02